Journal of Molecular Liquids, 35 (1987) 1—320
Elsevier Science Publishers B.V., Amsterdam — Printed in The Netherlands

LIQUID-GRAIN THEORY. The molecular structure of liquids

P. IGNÁCZ

H-1067 Budapest, VI. Botvos u. 26/D (Hungary)

(Received 28 January 1987)

CONTENTS

CONTENTS

SYMBOLS

Part I
Macroscopic and elementary molecule–
(van-der-Waals) crystals

0. INTRODUCTORY SURVEY

1. BASIC RELATIONS

2. MACROSCOPIC MOLECULE (VAN-DER-WAALS) CRYSTALS
   2.1 Determination of the lattice constants
   2.2 Dependence of the bond energy on the distance
   2.3 Molecular vibration and formation of the potential well
   2.4 Vibration of linear chain-structures
   2.5 Magnitude of the bond energy
   2.6 Control calculation
   2.7 The structure - forming effect of the dipole moment
   2.8 Relation to the classical theory of permittivity
   (dielectric constant)

3. SOLID CRYSTAL WITH DEFECT

0167-7322/87/$03.50 © 1987 Elsevier Science Publishers B.V.

4. THE "LIQUID-GRAIN" (ELEMENTARY CRYSTAL)
4.1 The lattice constants
4.2 Resultant dipole moment of the octahedral liquid-grain
4.3 Molecular vibration
4.4 Dependence of the bond energy on distance
4.5 Magnitude of the bond energy

5. DECOMPOSITION AND BUILD-UP PROCESS OF THE MACROSCOPIC CRYSTAL

6. SIMPLE FORMATIONS
6.1 Infinite straight molecular chain
6.2 Serial formation consisting of three molecules
6.3 Build-up process of the elementary crystals

7. VAN-DER-WAALS EFFECTS IN THE STRUCTURES OF OTHER MACROSCOPIC AND ELEMENTARY CRYSTALS

Part II
Thermodynamics and statistics
of the liquid-grains

8. THE LIQUID STATE
8.1 Characteristics of the liquid state
8.2 The Liquid-Grain Theory

9. PHASE CHANGES
9.1 Melting
9.2 Boiling

10. THE 'LOOSE' PART OF THE LIQUID
10.1 The bond energy of the loose part of the liquid: cohesion
10.2 The magnitude of the orientation effect
10.3 Domains of small extension
10.4 Determination of the magnitude of cohesion
10.5 Distances between the liquid-grains

11. THERMODYNAMICS OF LIQUIDS AND THEIR STRUCTURAL CHANGES
11.1 Starting considerations and symbols
11.2 Translational, rotational and vibrational heat capacity fractions in the ensemble of liquid-grains
11.3 The solid state at about the melting point
11.4 Relations describing the liquid state
11.5 Internal equivalent electric field in the liquid - The weakest bonds in the liquid-grain
11.6 Intermolecular distances in liquids

11.7 Volume expansion at phase change of melting
Coeficcient of thermal expansion
11.8 Similarity of the character of liquids

12. STATE CHARACTERISTICS OF SUBSTANCES COMPOSED OF COMPLICATED MOLECULES
12.1 Introduction
12.2 The state of an ensemble of particles in motion
12.3 The distribution function and the state sum
12.4 The State Sum of the translation
12.5 The Law of Equipartition and the extension of its principle
12.6 The "Equivalent" (Standard) Number of the Degree of Freedom
12.7 The Determination of the State Characteristics

13. ATTEMPT TO DETERMINE THE REAL NUMBER OF THE DEGREE OF FREEDOM
13.1 Introduction
13.2 Fundamentals of the theory
13.3 Theoretical determination of the heat capacities of hydrocarbons

14. PHYSICAL STATISTICS OF AN ENSEMBLE OF THE LIQUID-GRAINS CAVITIES IN LIQUIDS
14.1 Train of raisoning
14.2 Distribution of the individual particle temperatures
14.3 The probability of particles existing with temperatures exceeding a given value
14.4 Number of liquid-bonded particles and free (gas-like) particles in a liquid
14.5 Some inferences
14.6 Gas-like molecule, cavity, microbubble, bubble
14.7 Boundary phenomena
14.8 Closing remarks

A P P E N D I X

A1. BASIC TYPES AND THE VAN-DER-WAALS TYPE
A1.1 The basic types
A1.2 Molecule-type (or van-der-Waals type) crystals

A2. CAVITIES AND BUBBLES IN LIQUIDS
A2.1 Introduction
A2.2 Detailed calculation